

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI960032	CRB Review of I & T	3C		The directory /u01/st/b1/outfile/314 does not exist	*
LPS ICCR	LPSI960033	CRB Review of I & T	3C		Determine if /u01/st/b1/outfile/0/1 is only output directory	*
LPS ICCR	LPSI960038	CRB Review of Analysis	3C		No info was entered in LPS_FILE_INFO table each time mac_l0r was executed	*
LPS ICCR	LPSI960039	Revise Change	3A		Major frame time repeated in MSCD file	*
LPS ICCR	LPSI960042	CRB Review of I & T	3C		mac_db_init returns "Child exited abnormally with status= 1"	*
LPS ICCR	LPSI960043	CRB Review of Impact Statement	3C		mac_lps indicates a successful startup after child exits abnormally	*
LPS ICCR	LPSI960044	CRB Review of System Test	4		Incorrect message severity from [lps_ProcessChildStatus.c:154]	*
LPS ICCR	LPSI960047	CRB Review of I & T	3C		Last major frame of each format was not included in the MSCD file.	*
LPS ICCR	LPSI960048	CRB Review of I & T	3A		No MSCD file created if data crosses the boundary from day 365 to 366	*
LPS ICCR	LPSI960050	CRB Review of Analysis	3A		Error inserting subinterval QA info into database	*
LPS ICCR	LPSI960052	CRB Review of I & T	3A		Unable to write to MSCD file	*
LPS ICCR	LPSI960054	CRB Review of System Test	3A		Failed to process format 1 data containing some errors looks like format 2	*
LPS ICCR	LPSI960071	CRB Review of Impact Statement	3C		RDP_ACCT entries deleted incorrectly	*
LPS ICCR	LPSI960080	CRB Review of I & T	3C		Cannot view LPS_Journal under MONITOR option of User Interface	*
LPS ICCR	LPSI960082	CRB Review of I & T	3B		Idt_StartDDN not found	*
LPS ICCR	LPSI960084	System Test	3A	PCDS	Store partial cycles at start of subinterval	*
LPS ICCR	LPSI960085	CRB Review of Analysis	3C	User Interface	The LPS Problems with the Start Level 0R Choice of the Control Menu	*
LPS ICCR	LPSI960089	CRB Review of Analysis	3B		Error on attempt to send DAN	*
LPS ICCR	LPSI970093	CRB Review of System Test	3C	Globals	lps_ProcessInit fails to complete designated tasks when error is encountere	*
LPS ICCR	LPSI970096	CRB Review of Analysis	3A		Metadata file format should conform to DFCB (6/14/96)	*
LPS ICCR	LPSI970097	CRB Review of Analysis	3C		Static values loaded in lps_configuration table are not correct.	*
LPS ICCR	LPSI970099	CRB Review of System Test	3A	MFPS	The format for subinterval_start/stop_time are incorrect.	*
LPS ICCR	LPSI970103	CRB Review of System Test	3A	MFPS	Scan direction is missing in MSCD file	*

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970106	CRB Review of System Test	3A		Scan direction in the band file is not correct	*
LPS ICCR	LPSI970109	CRB Review of System Test	3C	IDPS	Scan number in Band file and MSCD file does not matches	—
LPS ICCR	LPSI970110	CRB Review of I & T	3A	MFPS	Cal_data_line_no exceeds the limits specified in DFCB	*
LPS ICCR	LPSI970112	CRB Review of System Test	3C	MFPS	Ca_data_line_offset_rhs and cal_data_line_offset_lhs are out of range	—
LPS ICCR	LPSI970122	CRB Review of System Test	3A		Data_line_offset_rhs/lhs values are out of range in band file	*
LPS ICCR	LPSI970123	CRB Review of System Test	3A	MFPS	Data_line_offset_rhs/lhs values are out of range in the calibration file	—
LPS ICCR	LPSI970126	System Test	3A		PCD output errors	*
LPS ICCR	LPSI970138	CRB Review of Impact Statement	3C		database not updated	—
LPS ICCR	LPSI970139	CRB Review of Impact Statement	3A		no pcd file generated	*
LPS ICCR	LPSI970143	CRB Review of Impact Statement	3A		test case did not execute properly	—
LPS ICCR	LPSI970146	CRB Review of System Test	3C	Globals	Core file is not generated when LPS Processes encountered SIGSEGV signal.	*
LPS ICCR	LPSI970147	CRB Review of Impact Statement	3C	User Interface	user interface fails to activate with the mac_lps command	—
LPS ICCR	LPSI970148	CRB Review of Analysis	3C		interface not displaying messages	*
LPS ICCR	LPSI970157	MACS Analysis	3A	MACS	Incorrect WRS scene number in meta data file	—
LPS ICCR	LPSI970160	CRB Review of I & T	3A	PCDS	No Angular Displacement Sensor data in PCD file	*
LPS ICCR	LPSI970161	CRB Review of Impact Statement	3A	PCDS	Major frame time is one day less than Scan TIMECODE in PCD file	—
LPS ICCR	LPSI970163	System Test	3A	PCDS	Negative number in major frame time	*
LPS ICCR	LPSI970164	CRB Review of I & T	3A	RDPS	Can't handle bit slip properly	—
LPS ICCR	LPSI970168	MACS Analysis	3C		Stop DDN server option under FileMgmt menu of UI does not work	*
LPS ICCR	LPSI970172	MACS Analysis	3C		Cannot do anything else during LOR processing of User Interface	—
LPS ICCR	LPSI970173	Impact Statement	3A	IDPS	Errors occurred during LOR processing of data containing format change1 to 2	*
LPS ICCR	LPSI970176	CRB Review of Impact Statement	3C	MACS	PROCESSING_VERSION_INFO table not updated	—
LPS ICCR	LPSI970177	CRB Review of Analysis	3C	User Interface	Entry in PROCESSING_VERSION_INFO table should not be required	*

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970179	MACS Analysis	3C	User Interface	No message when Level 0R processing is not started	*
LPS ICCR	LPSI970188	CRB Review of System Test	3C	LDTs	Control messages between LPS and ECS are not saved	*
LPS ICCR	LPSI970195	MACS Analysis	3A	MACS	Values of PVL parameters are missing plus sign for positive number	*
LPS ICCR	LPSI970196	MACS Analysis	3A	MACS	ETM+TIMECODE_ERRORS should be ETM+ TIMECODE_ERRORS	*
LPS ICCR	LPSI970199	CRB Review of I & T	3C	LDTs	DAN_Status is incorrect in LDT_DAN_Info	*
LPS ICCR	LPSI970200	CRB Review of Impact Statement	3C	LDTs	DAN_Ack_Time_Stamp is incorrect in LDT_DAN_Info	*
LPS ICCR	LPSI970201	CRB Review of Impact Statement	3C	LDTs	DDN_Receive_Time_Stamp is incorrect in LDT_DAN_Info	*
LPS ICCR	LPSI970203	CRB Review of Impact Statement	3C	LDTs	A File_Set_DAA_Status is incorrect in release 1 LDT_File_Set_Info	*
LPS ICCR	LPSI970204	CRB Review of I & T	3C	LDTs	File_Group_Xfer_Status is incorrect in release 1 LDT_File_Group_Info	*
LPS ICCR	LPSI970205	CRB Review of Impact Statement	3C		RDCS generates outfile with file name extension as .data instead of .cpt	*
LPS ICCR	LPSI970208	CRB Review of I & T	3C		The julian date of captured file name is off by one day	*
LPS ICCR	LPSI970211	CRB Review of Analysis	4		Maximum minor frame counter should be changed	*
LPS ICCR	LPSI970221	MACS Analysis	3C		Menu on report window does not display	*
LPS ICCR	LPSI970228	CRB Review of Impact Statement	3C	LDTs	Fields in database tables were not updated correctly after file deletion	*
LPS ICCR	LPSI970230	MACS Analysis	3C	LDTs	Can't restart DDN server after it was brought down	*
LPS ICCR	LPSI970234	MACS Analysis	3A		Unacceptable character in metadata file	*
LPS ICCR	LPSI970236	CRB Review of New CCR	3A	MFPS	Scan_Time values in MSD file have only 6 decimal places instead of 7.	*
LPS ICCR	LPSI970239	CRB Review of New CCR	3C		VALID_SENSOR_ALIGN_PARMS table has incorrect SENSOR_ALIGN_TITLE entry	*
LPS ICCR	LPSI970243	CRB Review of New CCR	3C		Load IAS Parameter file failed	*
LPS ICCR	LPSI970249	MACS Analysis	3A		Metatdata reporting default values for fields in which values exist	*
LPS ICCR	LPSI970254	MACS Analysis	3C		Transfer file count in transfer summary report is 0	*
LPS ICCR	LPSI970255	CRB Review of New CCR	3C		File_xfer_time_stamp not updated in database table	*
LPS ICCR	LPSI970264	RDCS Analysis	3C		Can't start rdc from command line	*

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970271	MACS Analysis	3C	MACS	Manual captures always default to 14 minutes	*
LPS ICCR	LPSI970276	CRB Review of New CCR	3C		LPS function Generate Tape Label doesn't recognize file with .cpt extension	-
LPS ICCR	LPSI970285	CRB Review of New CCR	4	RDCS	Transfer rate of rdc_Transmit is less than 72 Mbps	*
LPS ICCR	LPSI970286	CRB Review of New CCR	3C		GMT time in contact schedule file from MOC	-
LPS ICCR	LPSI970297	CRB Review of New CCR	3C	Database	typo in field name of MFP_Acct table	*
LPS ICCR	LPSI970269	Revise CCR Description	3A		Incorrect data in the MSCD file	-
LPS ICCR	LPSI970270	Revise CCR Description	3C		Incorrect report in the database.	?
LPS ICCR	LPSI970288	Revise CCR Description	3A		Failure to perform ACCA on scene quadrant basis.	?
LPS ICCR	LPSI970291	CRB Review of New CCR	3C		RDCS reporting data being received when no data was being sent	?
LPS ICCR	LPSI970321	Managers Review of New CCR	3C		Moving Window display colors differ from browse file	?
LPS ICCR	LPSI960074	Revise Change	3A		FHSERR and SHSERR are calculated incorrectly	B4
LPS ICCR	LPSI970153	PCDS Implementation	3A	IDPS	The values for latitude are incorrect in the band file.	B4
LPS ICCR	LPSI970222	Impact Statement	3C		L7 output file naming convention are not conformed to DFCB on 11/14/96	B4
LPS ICCR	LPSI970227	CRB Review of Analysis	3A	LDTS	MISSION PVL statement in DAN is extra	B4
LPS ICCR	LPSI970247	CRB Review of New CCR	3C		Inncorrect priority when files are missing	B4
LPS ICCR	LPSI970250	CRB Review of New CCR	3C	LDTS	Suspended DANs aren't saved and can't be resent	B4
LPS ICCR	LPSI970253	CRB Review of New CCR	3C		Buttons on report are black	B4
LPS ICCR	LPSI970263	CRB Review of New CCR	3A		Band B82 and band B83 have header information only	B4
LPS ICCR	LPSI970278	CRB Review of New CCR	3A		Integer pixel alignment for band files is incorrect for reverse scans	B4
LPS ICCR	LPSI970280	CRB Review of New CCR	3A		MSD file is not reporting filled minor frames	B4
LPS ICCR	LPSI970281	CRB Review of New CCR	3A	IDPS	only 2 browse files were generated when a 3 scene data set was processed	B4
LPS ICCR	LPSI970289	CRB Review of New CCR	3A		l0r processing halts when a new subinterval is created	B4
LPS ICCR	LPSI970306	CRB Review of New CCR	3A	PCDS	Stop time incorrect for last scene in subinterval	B4

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970308	Managers Review of New CCR	3A	MFPS	Incorrect scan direction used for band and calibration files	<u>B4</u>
LPS ICCR	LPSI970309	Managers Review of New CCR	3A	MACS	Metadata contact start/stop times should be actual	<u>B4</u>
LPS ICCR	LPSI970316	Managers Review of New CCR	3C		Authentication messages sent when DAN transfer is suspended	<u>B4</u>
LPS ICCR	LPSI960055	Revise Change	3A		Failed to handle wideband data with fill VCDUs	<u>B5-1</u>
LPS ICCR	LPSI960059	RDPS Implementation	3C		More than 3 bit error in VCDU Header Error Control should RS uncorrectable	<u>B5-1</u>
LPS ICCR	LPSI960086	CRB Review of Impact Statement	4	MACS	LPS shut down message not clear	<u>B5-1</u>
LPS ICCR	LPSI970095	CRB Review of Analysis	3A	MACS	Error in ETM+_LAST_ON/OFF_TIME format in META data file	<u>B5-1</u>
LPS ICCR	LPSI970101	CRB Review of Analysis	3A	MACS	Metadata file does not have ON/OFF flag set for format 2 data.	<u>B5-1</u>
LPS ICCR	LPSI970113	CRB Review of Analysis	3C		ORA-01458:invalid length inside variable character string	<u>B5-1</u>
LPS ICCR	LPSI970114	CRB Review of Impact Statement	3C		ORA-01400: mandatory (NOT NULL) column is missing or NULL during insert	<u>B5-1</u>
LPS ICCR	LPSI970129	CRB Review of Impact Statement	3A	IDPS	Failed to create output files	<u>B5-1</u>
LPS ICCR	LPSI970131	CRB Review of Impact Statement	3A		Failed to process data containing partial scan at the beginning of the file	<u>B5-1</u>
LPS ICCR	LPSI970133	Revise CCR Description	3A		fill data had backward time jumps in it	<u>B5-1</u>
LPS ICCR	LPSI970134	CRB Review of Impact Statement	3A	IDPS	The band files in the new subintervals have incorrect information	<u>B5-1</u>
LPS ICCR	LPSI970135	CRB Review of Impact Statement	3A		some forward time jumps are skipped	<u>B5-1</u>
LPS ICCR	LPSI970136	CRB Review of I & T	3A		entire input file not processed	<u>B5-1</u>
LPS ICCR	LPSI970137	MACS Analysis	3A		no metadata file generated	<u>B5-1</u>
LPS ICCR	LPSI970140	CRB Review of Analysis	3A		no metadata file generated	<u>B5-1</u>
LPS ICCR	LPSI970141	CRB Review of Impact Statement	3A	MFPS	Software should not delete major frames with data containing backward jump	<u>B5-1</u>
LPS ICCR	LPSI970142	CRB Review of Impact Statement	3A		new subintervals have 0 fill in scan time codes	<u>B5-1</u>
LPS ICCR	LPSI970145	MACS Analysis	3A		No meta data generated for test case 4.22	<u>B5-1</u>
LPS ICCR	LPSI970150	CRB Review of Impact Statement	3A	MFPS	Incomplete MSCD file generated	<u>B5-1</u>
LPS ICCR	LPSI970151	CRB Review of Impact Statement	3A	PCDS	No PCD, MTA files created for data containing 24-hr backward time jump	<u>B5-1</u>

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970154	CRB Review of Impact Statement	3A	MFPS	Failed to process data containing data gaps	<u>B5-1</u>
LPS ICCR	LPSI970155	MFPS Implementation	3A		several errors in the band files	<u>B5-1</u>
LPS ICCR	LPSI970158	CRB Review of Impact Statement	3A	MFPS	Lage dataset with data gaps failed with same error message	<u>B5-1</u>
LPS ICCR	LPSI970159	CRB Review of Impact Statement	3A	MFPS	Failed to process data containing 3 or 5 bit errors in the time code	<u>B5-1</u>
LPS ICCR	LPSI970190	CRB Review of Analysis	3A		no output files for test case 4.24	<u>B5-1</u>
LPS ICCR	LPSI970191	CRB Review of Analysis	3A		no output for test case 4.21.	<u>B5-1</u>
LPS ICCR	LPSI970192	CRB Review of Impact Statement	3A	MFPS	Not all output files were generated for test case 4.21	<u>B5-1</u>
LPS ICCR	LPSI970197	CRB Review of Impact Statement	2		LPS release 1 software cannot process captured file	<u>B5-1</u>
LPS ICCR	LPSI970220	MACS Analysis	3C		Contact period is not displayed in LPS QA report	<u>B5-1</u>
LPS ICCR	LPSI970237	CRB Review of New CCR	3A	MFPS	LPS filled major frames where based on the raw data it shouldn't have	<u>B5-1</u>
LPS ICCR	LPSI970257	CRB Review of New CCR	3A		No scene determination with exactly 6 PCD major frames	<u>B5-1</u>
LPS ICCR	LPSI970259	Revise CCR Description	3A		Incorrect Data receipt summary report	<u>B5-1</u>
LPS ICCR	LPSI970261	CRB Review of New CCR	3A		Level 0R process failed when verifying LPS960084	<u>B5-1</u>
LPS ICCR	LPSI970262	MFPS Analysis	3A		Failed to process data with only cloud	<u>B5-1</u>
LPS ICCR	LPSI970266	CRB Review of New CCR	3C		'Copy to Tape' function failed with error	<u>B5-1</u>
LPS ICCR	LPSI970268	CRB Review of New CCR	3C		RDC terminate only works partially	<u>B5-1</u>
LPS ICCR	LPSI970272	CRB Review of New CCR	3C		data garbled from rdc_Transmit	<u>B5-1</u>
LPS ICCR	LPSI970273	CRB Review of Analysis	3A		LPS calculates incorrect cloud cover assesment	<u>B5-1</u>
LPS ICCR	LPSI970275	CRB Review of New CCR	3A		SCENE_CCA in matadata file is incorrectly calculated	<u>B5-1</u>
LPS ICCR	LPSI970277	CRB Review of New CCR	3C		LPS has problem printing consecutive tape labels	<u>B5-1</u>
LPS ICCR	LPSI970279	CRB Review of New CCR	3A		L0r failed to process captured file with data gap condition	<u>B5-1</u>
LPS ICCR	LPSI970283	CRB Review of New CCR	3A		Cloud Cover calculated incorrectly	<u>B5-1</u>
LPS ICCR	LPSI970284	CRB Review of New CCR	3A		Scene not detected	<u>B5-1</u>

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970302	Managers Review of New CCR	3A		A second subinterval was started when it shouldn't have	<u>B5-1</u>
LPS ICCR	LPSI970303	Managers Review of New CCR	3A		Cannot take inverse of attitude matrix!	<u>B5-1</u>
LPS ICCR	LPSI970304	Managers Review of New CCR	3A		Level 0R failed with signal number =11	<u>B5-1</u>
LPS ICCR	LPSI970305	Managers Review of New CCR	3C		Message saying -4 Missing PCD Data Words (TH = 1) was received	<u>B5-1</u>
LPS ICCR	LPSI970318	Managers Review of New CCR	3A		In metadata file, PCD_STOP_TIME and BAND_PRESENT are incorrect	<u>B5-1</u>
LPS ICCR	LPSI970319	Managers Review of New CCR	3A		no output files generated	<u>B5-1</u>
LPS ICCR	LPSI960073	Revise Analysis	3A		First major frame thrown out	<u>B5-2</u>
LPS ICCR	LPSI970175	MACS Analysis	3C	User Interface	Shutdown LPS option is misleading	<u>B5-2</u>
LPS ICCR	LPSI970224	MACS Analysis	3C	User Interface	Window title incorrect when displaying Operational messages on Work Station	<u>B5-2</u>
LPS ICCR	LPSI970225	MACS Analysis	3C		Anomalous conditions against the LPS Q&A Report.	<u>B5-2</u>
LPS ICCR	LPSI970238	CRB Review of New CCR	3A	MFPS	LPS fills major frames into the margin in the band files	<u>B5-2</u>
LPS ICCR	LPSI970241	CRB Review of New CCR	3B	User Interface	the start I0r window does not use the specified file version number	<u>B5-2</u>
LPS ICCR	LPSI970242	CRB Review of New CCR	3C	User Interface	output file set management window does not delete marked files	<u>B5-2</u>
LPS ICCR	LPSI970248	CRB Review of New CCR	3A		Metadata file failed to report BCH_UNCORRECTED_VCDUS value	<u>B5-2</u>
LPS ICCR	LPSI970251	CRB Review of New CCR	3C		LPS automatically deletes files after successfully transferring files	<u>B5-2</u>
LPS ICCR	LPSI970256	CRB Review of New CCR	3A		Failed I0R processing for error in VCDU header	<u>B5-2</u>
LPS ICCR	LPSI970293	CRB Review of New CCR	3C		Auto Capture doesn't stop at scheduled stop time	<u>B5-2</u>
LPS ICCR	LPSI970295	CRB Review of New CCR	3C		Start/Stop DDN Server option in the user interface not always correct	<u>B5-2</u>
LPS ICCR	LPSI970296	CRB Review of New CCR	3C		Capture start/stop and contact time should be 24 hour format	<u>B5-2</u>
LPS ICCR	LPSI970298	CRB Review of New CCR	3C		12 hour is added to capture start/stop time	<u>B5-2</u>
LPS ICCR	LPSI970299	Managers Review of New CCR	3C		Capture start time is wrong when capture roll over to year 2000	<u>B5-2</u>
LPS ICCR	LPSI970300	CRB Review of New CCR	3B		When file which name starts with '99', LPS consider as illegal name	<u>B5-2</u>
LPS ICCR	LPSI970320	Managers Review of New CCR	3A		Day/Night Flag incorrect	<u>B5-2</u>

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI960087	MACS Implementation	3C	User Interface	The user interface windows have strange names when minimized.	<u>B5-3</u>
LPS ICCR	LPSI970094	Revise Change	3C		MFPS trouble file is incorrect.	<u>B5-3</u>
LPS ICCR	LPSI970194	PCDS Implementation	3A	PCDS	Rephrasing ICCR LPSI970098-PCD stop time is calculated incorrectly	<u>B5-3</u>
LPS ICCR	LPSI970198	CRB Review of Analysis	3A	MFPS	MFPS does not attempt to deduce a Line Sync Code if initially not found	<u>B5-3</u>
LPS ICCR	LPSI970202	MACS Analysis	3A	LDTS	A valid file version not accepted during Level OR processing.	<u>B5-3</u>
LPS ICCR	LPSI970215	Impact Statement	4		On NCD terminal, inactive window is blank	<u>B5-3</u>
LPS ICCR	LPSI970233	MACS Analysis	3B	MACS	LPS Quality and Accounting info report missing items	<u>B5-3</u>
LPS ICCR	LPSI970244	CRB Review of New CCR	3C		LPS does not properly restart IOr processing after a system crash	<u>B5-3</u>
LPS ICCR	LPSI970252	CRB Review of New CCR	3C		Retained on-line file counts are not on transfer report	<u>B5-3</u>
LPS ICCR	LPSI970260	CRB Review of Analysis	3C		Path and filename line doesn't fit on tape label	<u>B5-3</u>
LPS ICCR	LPSI970292	CRB Review of New CCR	3C	RDPS	Record lengths incorrect in RDPS trouble file	<u>B5-3</u>
LPS ICCR	LPSI970310	Managers Review of New CCR	3C	MACS	Prevent multiple copies of executables from running simultaneously	<u>B5-3</u>
LPS ICCR	LPSI970313	Managers Review of New CCR	3A	MFPS	minf_faults field in MSCD data should be range	<u>B5-3</u>
LPS ICCR	LPSI970314	Managers Review of New CCR	4		Capture file name truncated on report	<u>B5-3</u>
LPS ICCR	LPSI970317	Managers Review of New CCR	3C	LDTS	rcvddn health message should appear in journal file	<u>B5-3</u>
LPS ICCR	LPSI970235	CRB Review of New CCR	5		EOL Location incorrect in MSD file for fully filled major frames	<u>DOC</u>
LPS ICCR	LPSI970282	CRB Review of New CCR	5		Metadata file missing imagery timecode errors	<u>DOC</u>
LPS ICCR	LPSI970265	Revise CCR Description	3A		ACCA couldn't be performed	<u>DUP</u>
LPS ICCR	LPSI970167	Database Analysis	3C	Database	Column name misspelled in mfp_acct table	<u>NO</u>
LPS ICCR	LPSI960035	Revise Change	3C		Trouble file is appended if the same file were run more than once	<u>NO</u>
LPS ICCR	LPSI960083	CRB Review of I & T	3C	User Interface	Miss spelled in Start Level OR Processing screen in UI	<u>NO</u>
LPS ICCR	LPSI960090	CRB Review of I & T	3C		Extra 'to' in error message "Error on attempt to to send DAN"	<u>NO</u>
LPS ICCR	LPSI970169	UI Analysis	3C		User Interface has to be brought up from bin directory.	<u>NO</u>



Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	Maintenance Disposition
LPS ICCR	LPSI970171	Database Analysis	3C	Database	MJF_CTR_ERR_CNT column should be MNF_CTR_ERR_CNT in mpf_acct table	<u>NO</u>
LPS ICCR	LPSI970193	MACS Analysis	4		macs_startl0r crashes and produces a core when executed with no arguments	<u>NO</u>
LPS ICCR	LPSI970209	Impact Statement	4	IDPS	Modify IDPS to keep subsampled image on MWD until starting next L0R Proc.	<u>NO</u>
LPS ICCR	LPSI970210	MACS Analysis	3C	Globals	lps_ProcessStartChild does not Utilize UNIX search PATH	<u>NO</u>
LPS ICCR	LPSI970212	S/W Engineer Analysis	3C		Can't bring up GUI after updating env parm	<u>NO</u>
LPS ICCR	LPSI970219	MACS Analysis	3C	Database	Two entries exist in VALID_RDP_THRES table	<u>NO</u>
LPS ICCR	LPSI970232	Impact Statement	5		Update Unit Prologs to facilitate ABS document	<u>NO</u>
LPS ICCR	LPSI970240	CRB Review of New CCR	4	User Interface	start l0r window is closed when a duplicate file version number is selected	<u>NO</u>
LPS ICCR	LPSI970245	CRB Review of New CCR	5		PCD Q&A data out of range	<u>NO</u>
LPS ICCR	LPSI970246	CRB Review of New CCR	5		Missing parameters in metadata file	<u>NO</u>
LPS ICCR	LPSI970258	CRB Review of New CCR	4		The GUI screen did not show the correct range of band values.	<u>NO</u>
LPS ICCR	LPSI970287	CRB Review of New CCR	4		L0R parameter screen accepts an invalid value	<u>NO</u>
LPS ICCR	LPSI970290	CRB Review of New CCR	3C		Stop Auto Capture doesn't work	<u>NO</u>
LPS ICCR	LPSI970294	CRB Review of New CCR	3C		Transfer Summary Report based on receipt time not transfer time	<u>NO</u>
LPS ICCR	LPSI970301	Managers Review of New CCR	3C		Report time does not match with system time	<u>NO</u>
LPS ICCR	LPSI970307	Managers Review of New CCR	3C	MFPS	MFPS trouble file flag not used	<u>NO</u>
LPS ICCR	LPSI970311	Managers Review of New CCR	3C	User Interface	New start L0R entries should be on top	<u>NO</u>
LPS ICCR	LPSI970312	Managers Review of New CCR	4		Capture times should be specified as duration	<u>NO</u>
LPS ICCR	LPSI970315	Managers Review of New CCR	3C		Invalid General Quality values in MFPS troublefile	<u>NO</u>
LPS ICCR	LPSI950001	MFPS Implementation	5	Documentation / S/W Req Spec	Data Dictionary definitions for MF_Start_Time and MF_Stop_Time.	
LPS ICCR	LPSI950004	MFPS Implementation	5	Documentation / S/W Req Spec	MFPS should access Valid_CCSDS_Parms for the synchronization strategy.	
LPS ICCR	LPSI950016	Revise Change	5	Documentation / S/W Req Spec	MFPS Band 6 size requirement change	
LPS ICCR	LPSI960045	CRB Review of I & T	3C		MSCD file should be deleted when level 0r process is manually stopped	

Project	CCR	Current Step	Priority	System / Major / Minor	Short Description	<u>Maintenance Disposition</u>
LPS ICCR	LPSI960046	System Test	3A		Level 0R processing failed with data containing a bit slip	
		HAD OTHER POTENTIALS WILL DISPOSITION IF/WHEN WRITTEN				